

# Advanced Data Analysis: K-Means Clustering

Masashi Sugiyama (Computer Science)


W8E-505, [sugi@cs.titech.ac.jp](mailto:sugi@cs.titech.ac.jp)

<http://sugiyama-www.cs.titech.ac.jp/~sugi>

# Data Clustering

134

- We want to divide data samples  $\{x_i\}_{i=1}^n$  into  $k$  ( $1 \leq k \leq n$ ) disjoint clusters so that **samples in the same cluster are similar.**
- We assume that  $k$  is prefixed.



# Within-Cluster Scatter Criterion<sup>135</sup>

- Idea: Cluster the samples so that **within-cluster scatter is minimized**
- $\mathcal{C}_i$ : Set of samples in cluster  $i$

$$\bigcup_{i=1}^k \mathcal{C}_i = \{\mathbf{x}_j\}_{j=1}^n$$

$$\mathcal{C}_i \cap \mathcal{C}_j = \phi$$

- **Criterion:**

$$\min_{\{\mathcal{C}_i\}_{i=1}^k} \left[ \sum_{i=1}^k \sum_{\mathbf{x} \in \mathcal{C}_i} \|\mathbf{x} - \mu_i\|^2 \right]$$

$$\mu_i = \frac{1}{|\mathcal{C}_i|} \sum_{\mathbf{x}' \in \mathcal{C}_i} \mathbf{x}'$$

# Within-Cluster Scatter Minimization<sup>136</sup>

$$\min_{\{\mathcal{C}_i\}_{i=1}^k} \left[ \sum_{i=1}^k \sum_{\mathbf{x} \in \mathcal{C}_i} \|\mathbf{x} - \boldsymbol{\mu}_i\|^2 \right]$$

- When all possible cluster assignment is tested in a greedy manner, computation time is proportional to  $k^n$ .
- Actually, the above optimization problem is **NP-hard**, i.e., we do not yet have a polynomial-time algorithm.

# K-Means Clustering Algorithm<sup>137</sup>

- Randomly initialize partition:  $\{\mathcal{C}_i\}_{i=1}^k$
- Repeat the following until convergence:
  - Update cluster assignment:  $j = 1, 2, \dots, n$

$$\mathbf{x}_j \rightarrow \mathcal{C}_{t_j} \quad t_j = \operatorname{argmin}_i \|\mathbf{x}_j - \boldsymbol{\mu}_i\|^2$$


- Update cluster centroids:  $i = 1, 2, \dots, k$

$$\boldsymbol{\mu}_i = \frac{1}{|\mathcal{C}_i|} \sum_{\mathbf{x}' \in \mathcal{C}_i} \mathbf{x}'$$

Note: Only local optimality is guaranteed

# Examples


138



- K-means method can successfully separate the two data crowds from each other.

# Examples (cont.)

139



- However, it does not work well if the data crowds have non-convex shapes.

# Non-Linearizing K-Means

140

- Map the original data to a feature space by a non-linear transformation:

$$\phi : \mathbf{x} \rightarrow \mathbf{f} \quad \{\mathbf{f}_i \mid \mathbf{f}_i = \phi(\mathbf{x}_i)\}_{i=1}^n$$

- Run the k-means algorithm in the feature space.

$$\min_{\{\mathcal{C}_i\}_{i=1}^k} \left[ \sum_{i=1}^k \sum_{\mathbf{x} \in \mathcal{C}_i} \|\phi(\mathbf{x}) - \boldsymbol{\mu}_i\|^2 \right]$$

$$\boldsymbol{\mu}_i = \frac{1}{|\mathcal{C}_i|} \sum_{\mathbf{x}' \in \mathcal{C}_i} \phi(\mathbf{x}')$$



# Kernel K-Means Algorithm 141

- Randomly initialize partition:  $\{\mathcal{C}_j\}_{j=1}^k$
- Update cluster assignments until convergence:

$$\mathbf{x}_j \rightarrow \mathcal{C}_{t_j} \quad j = 1, 2, \dots, n$$

$$t_j = \operatorname{argmin}_i \left[ -\frac{2}{|\mathcal{C}_i|} \sum_{\mathbf{x}' \in \mathcal{C}_i} K(\mathbf{x}_j, \mathbf{x}') + \frac{1}{|\mathcal{C}_i|^2} \sum_{\mathbf{x}', \mathbf{x}'' \in \mathcal{C}_i} K(\mathbf{x}', \mathbf{x}'') \right]$$


$$\|\phi(\mathbf{x}) - \boldsymbol{\mu}_i\|^2 = \langle \phi(\mathbf{x}), \phi(\mathbf{x}) \rangle - 2\langle \phi(\mathbf{x}), \boldsymbol{\mu}_i \rangle + \langle \boldsymbol{\mu}_i, \boldsymbol{\mu}_i \rangle$$

$$= \underbrace{K(\mathbf{x}, \mathbf{x})}_{\text{constant}} - \frac{2}{|\mathcal{C}_i|} \sum_{\mathbf{x}' \in \mathcal{C}_i} K(\mathbf{x}, \mathbf{x}') + \frac{1}{|\mathcal{C}_i|^2} \sum_{\mathbf{x}', \mathbf{x}'' \in \mathcal{C}_i} K(\mathbf{x}', \mathbf{x}'')$$

constant

# Examples of Kernel K-Means<sup>142</sup>


$$K(x, x') = \exp(-\|x - x'\|^2 / c^2)$$



- Kernel k-means method can separate the two data crowds successfully.

# Examples of Kernel K-Means (cont.)<sup>143</sup>

$$K(x, x') = \exp(-\|x - x'\|^2 / c^2)$$





$$c = 0.6$$

- It also works well for data with non-convex shapes.

# Examples of Kernel K-Means (cont.)<sup>144</sup>


$$K(x, x') = \exp(-\|x - x'\|^2 / c^2)$$



- Choice of kernels (type and parameter) depends on the result.
- Appropriately choosing kernels is not easy in practice.

# Examples of Kernel K-Means (cont.)<sup>145</sup>

$$K(x, x') = \exp(-\|x - x'\|^2 / c^2)$$



- Solution depends **crucially** on the initial cluster assignments since clustering is carried out in a high-dimensional feature space.

# Weighted Scatter Criterion 146

- We assign a positive weight  $d(\mathbf{x})$  for each sample  $\mathbf{x}$ :

$$\min_{\{\mathcal{C}_i\}_{i=1}^k} [J_{WS}]$$

$$J_{WS} = \sum_{i=1}^k \sum_{\mathbf{x} \in \mathcal{C}_i} d(\mathbf{x}) \|\phi(\mathbf{x}) - \boldsymbol{\mu}_i\|^2$$

$$\boldsymbol{\mu}_i = \frac{1}{s_i} \sum_{\mathbf{x}' \in \mathcal{C}_i} d(\mathbf{x}') \phi(\mathbf{x}')$$

$$s_i = \sum_{\mathbf{x} \in \mathcal{C}_i} d(\mathbf{x})$$

# Exercise

147

■ Prove that

$$\operatorname{argmin}_i [d(\mathbf{x}) \|\phi(\mathbf{x}) - \mu_i\|^2]$$

$$\mu_i = \frac{1}{s_i} \sum_{\mathbf{x}' \in \mathcal{C}_i} d(\mathbf{x}') \phi(\mathbf{x}')$$

is equivalent to

$$\operatorname{argmin}_i \left[ -\frac{2}{s_i} \sum_{\mathbf{x}' \in \mathcal{C}_i} d(\mathbf{x}') K(\mathbf{x}_j, \mathbf{x}') \right]$$

$$\left[ +\frac{1}{s_i^2} \sum_{\mathbf{x}', \mathbf{x}'' \in \mathcal{C}_i} d(\mathbf{x}') d(\mathbf{x}'') K(\mathbf{x}', \mathbf{x}'') \right]$$

$$\mu_i = \frac{1}{s_i} \sum_{x' \in \mathcal{C}_i} d(x') \phi(x')$$

$$d(x) \|\phi(x) - \mu_i\|^2$$

$$= d(x) \left( \langle \phi(x), \phi(x) \rangle - 2\langle \phi(x), \mu_i \rangle + \langle \mu_i, \mu_i \rangle \right)$$

$$= d(x) \left( K(x, x) - \frac{2}{s_i} \sum_{x' \in \mathcal{C}_i} d(x') K(x, x') + \frac{1}{s_i^2} \sum_{x', x'' \in \mathcal{C}_i} d(x') d(x'') K(x', x'') \right)$$

independent of  $i$



# Weighted Kernel K-Means

149

- Randomly initialize partition:  $\{\mathcal{C}_i\}_{i=1}^k$
- Update cluster assignments until convergence:

$$\mathbf{x}_j \rightarrow \mathcal{C}_t$$

$$t = \operatorname{argmin}_i \left[ -\frac{2}{s_i} \sum_{\mathbf{x}' \in \mathcal{C}_i} d(\mathbf{x}') K(\mathbf{x}_j, \mathbf{x}') \right.$$


$$\left. + \frac{1}{s_i^2} \sum_{\mathbf{x}', \mathbf{x}'' \in \mathcal{C}_i} d(\mathbf{x}') d(\mathbf{x}'') K(\mathbf{x}', \mathbf{x}'') \right]$$

$$s_i = \sum_{\mathbf{x} \in \mathcal{C}_i} d(\mathbf{x})$$

# Hierarchical Clustering

150

- Hierarchical cluster structure can be obtained recursively clustering the data.
- Perhaps we may fix  $k = 2$ .





# Homework

151

- Implement linear/kernel k-means algorithms and reproduce the 2-dimensional examples shown in the class.

<http://sugiyama-www.cs.titech.ac.jp/~sugi/data/DataAnalysis>



Test the algorithms with your own (artificial or real) data and analyze their characteristics.

# Notification of Final Assignment

- **Data Analysis:** Apply dimensionality reduction or clustering techniques to your own data set and “mine” something interesting!
- **Deadline:** July 22<sup>nd</sup> (Fri) 17:00
  - Bring the printed report to W8E-505

# Mini-Conference on Data Analysis

- At the end of the semester, we have a **mini-conference on data analysis**.
- Some of the students may present their data analysis results.
- Those who give a talk at the conference will have **very good grades!**

# Schedule

154

- June 14<sup>th</sup>: Spectral clustering
- June 18<sup>th</sup>: Saturday (no class)
- June 21<sup>st</sup>: Projection pursuit
- June 28<sup>th</sup>: Preparation for mini-conference (no class)
- July 5<sup>th</sup>: Preparation for mini-conference (no class)
- July 12<sup>th</sup>: Mini-conference on Data Analysis
- July 19<sup>th</sup>: Mini-conference on Data Analysis (reserve)

# Mini-Conference on Data Analysis

- Application procedure: On **June 21<sup>st</sup>**, just say to me “**I want to give a talk!**”.
- Presentation: **approx. 10 min (?)**
  - Description of your data
  - Methods to be used
  - Outcome
- Slides should be in English.
- Better to speak in English, but Japanese may also be allowed (perhaps your friends will provide simultaneous translation!).