

Extensive Form Games

(i) X : a (finite) set of nodes, A : a (finite) set of possible actions

$N = \{1, \dots, I\}$: a (finite) set of players

(ii) $p : X \rightarrow X \cup \{\emptyset\}$: specify a single predecessor


x is the initial node (始点) $\rightarrow p(x) = \emptyset$, denoted x_0

o.w. $\rightarrow p(x) \in X$


$s(x) = p^{-1}(x) = \{y \in X \mid p(y) = x\}$: the immediate successors of x

Tree structure $\rightarrow \{p(x)\} \cap s(x) = \emptyset$

$T = \{x \in X \mid s(x) = \emptyset\}$: terminal nodes; $X - T$: decision nodes



Initial node
decision nodes
terminal nodes




Extensive Form Games

(iii) $\alpha : X - \{x_0\} \rightarrow A$ action leads to x

$x', x'' \in s(x), x' \neq x'' \rightarrow \alpha(x') \neq \alpha(x'')$

$c(x) = \{a \in A \mid a = \alpha(x') \text{ for some } x' \in s(x)\}$



Extensive Form Games

(iv) $h : X \rightarrow \mathcal{H}$ (collection of information sets)


$h(x)$: information set that contains x

$h(x) = h(x') \Rightarrow x, x'$ belong to the same information set
 $\Rightarrow c(x) = c(x')$

(Information sets form a partition (分割) of X .)

choices available at an information set H

$C(H) = \{a \in A \mid a \in c(x) \text{ for some } x \in H\}$



Extensive Form Games

(v) $\iota : H \rightarrow \{0, 1, \dots, I\}$

$\iota(H)$: the player who moves at the decision nodes in H

$H_i = \{H \in H \mid i = \iota(H)\}$ collection of i 's information sets

$H_0 =$ collection of information sets containing chance moves

(vi) $\rho : H_0 \times A \rightarrow [0, 1]$ probability assigned to an action

$\rho(H, a) = 0$ if a is not in $C(H)$

$\sum_{a \in C(H)} \rho(H, a) = 1$ for all $H \in H_0$

(vii) $u = \{u_1, \dots, u_I\}$ payoff functions (利得関数)

$u_i : T$ (set of terminal nodes) $\rightarrow \mathbb{R}$

Extensive form game

$\Gamma_E = \{X, A, N = \{0, 1, \dots, I\}, p, \alpha, H, h, \iota, \rho, u\}$

Finiteness: # of actions, # of moves, # of players

Strategic Form(戦略形) (Normal Form(標準形)) Games

Definition 7.D.1:

Player i 's strategy $s_i : H_i \rightarrow A$

$s_i(H) \in C(H)$ for all $H \in H_i$


Strategy(戦略): complete contingent plan that tells a player to do
at each of her information sets if she plays there

Strategy

Definition 7.D.1:

Player i 's strategy $s_i : H_i \rightarrow A$, $s_i(H) \in C(H)$ for all $H \in H_i$

Example 7.D.1 (Matching Pennies Version B)



1 has two strategies (H, T)

2 has four strategies

(HH, HT, TH, TT)

HT \Rightarrow play H if 1 plays H
(left information set)


play T if 1 plays T
(right information set)

Strategy

Definition 7.D.1:

Player i 's strategy $s_i : H_i \rightarrow A$, $s_i(H) \in C(H)$ for all $H \in H_i$

Example 7.D.2 (Matching Pennies Version C)



1 has two strategies (H, T)

2 has two strategies (H, T)

Notation: $s = (s_1, \dots, s_I)$ strategy combination (profile) (戦略の組)

$$s_{-i} = (s_1, \dots, s_{i-1}, s_{i+1}, \dots, s_I)$$

$$s = (s_i, s_{-i})$$

Strategic Form (Normal Form) Game


Definition 7.D.2:

Strategic form game $\Gamma_N = [N = \{0, 1, \dots, I\}, \{S_i\}, \{u_i\}]$

$N = \{0, 1, \dots, I\}$: set of players, S_i : player i 's strategy set

$u_i : S_1 \times \dots \times S_I \rightarrow \mathbb{R}$, i 's payoff function

Example 7.D.3 (Matching Pennies Version B)



1 has two strategies (H or T)


2 has four strategies (HH, HT, TH, TT)

		Pl. 2			
		HH	HT	TH	TT
H	Pl. 1	-1, +1	-1, +1	+1, -1	+1, -1
T	Pl. 1	+1, -1	-1, +1	+1, -1	-1, +1

Strategic Form (Normal Form) Game

Note: extensive form game \rightarrow strategic form game (unique)

not unique \leftarrow



Pl. 2

		a	b	c	d
Pl. 1	L	-1, +1	-1, +1	+1, -1	+1, -1
	R	+1, -1	-1, +1	+1, -1	-1, +1

Randomized Strategy (ランダム戦略)

Definition 7.E.1: (mixed strategy (混合戦略))

S_i : i's strategy set

$\sigma_i : S_i \rightarrow [0, 1]$ $\sigma_i(s_i) \geq 0$: prob. playing $s_i \in S_i$

$$\sum_{s_i \in S_i} \sigma_i(s_i) = 1$$

$S_i = \{s_{1i}, \dots, s_{Mi}\}$ (player i has M pure strategies (純粋戦略))

i's set of mixed strategies

$$\Delta(S_i) = \{(\sigma_{1i}, \dots, \sigma_{Mi}) \mid \sum_{m=1}^M \sigma_{mi} = 1, \sigma_{mi} \geq 0 \ \forall m=1, \dots, M\}$$

$\sigma_{mi} = \sigma_i(s_{mi})$ mixed extension (混合拡張) of S_i

i's expected payoff (期待利得) under $\sigma = (\sigma_1, \dots, \sigma_I)$

$$\sum_{(s_1, \dots, s_I) \in S_1 \times \dots \times S_I} \sigma_1(s_1) \dots \sigma_I(s_I) u_i(s_1, \dots, s_I)$$

$$\Gamma_N = (N = \{0, 1, \dots, I\}, \{\Delta(S_i)\}, \{u_i\}),$$

mixed extension of $\Gamma_N = (N = \{0, 1, \dots, I\}, \{S_i\}, \{u_i\}),$

Randomized Strategy

Definition 7.E.2: (behavior strategy (行動戦略))

extensive form game

i's behavior strategy λ assigns

to every information set $H \in \mathcal{H}_i$ and action $a \in C(H)$

probability $\lambda_i(a, H) \geq 0$

with $\sum_{a \in C(H)} \lambda_i(a, H) = 1$ for all $H \in \mathcal{H}_i$

Behavior strategy \Rightarrow Mixed strategy

Games with perfect recall

\rightarrow Behavior strategy \Leftrightarrow Mixed strategy

Assignments

Problem Set 2 (due May 10):

Exercises (page 233) : 7.D.1, 7.D.2, 7.E.1

Reading Assignments:

Text: Chapter 8, pp.235-245